



中国国家强制性产品认证证书

证书编号: 2009010907366932

委托人名称、地址

瑞玛企业有限公司
新北市汐止区新台五路1段81号4楼之6

生产者(制造商)名称、地址

瑞玛企业有限公司
新北市汐止区新台五路1段81号4楼之6

生产企业名称、地址

常州瑞筠电源有限公司
江苏省常州市新北区龙虎塘新苑五路111号

产品名称和系列、规格、型号

电源适配器

见附件, 仅适用于海拔2000米及以下

产品标准和技术要求

GB4943.1-2011; GB9254-2008; GB17625.1-2003

上述产品符合强制性产品认证实施规则
CNCA-01C-020: 2010的要求, 特发此证。

发证日期: 2013年06月19日

有效期至: 2018年03月21日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2009年09月24日

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区 100070

<http://www.cqc.com.cn>



Q 0735529



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2009010907366932

NAME AND ADDRESS OF THE APPLICANT

Franmar International Inc.
4F-6, No.81, SEC 1, XINTAI 5TH RD. XIZHI DISTRICT, NEW TAIPEI CITY, 221,
TAIWAN

NAME AND ADDRESS OF THE MANUFACTURER

Franmar International Inc.
4F-6, No.81, SEC 1, XINTAI 5TH RD. XIZHI DISTRICT, NEW TAIPEI CITY, 221,
TAIWAN

NAME AND ADDRESS OF THE FACTORY

RicMar Power Co., Ltd
No. 111, 5th Xinyuan Rd. Xinbei District, Changzhou 213031, P. R. China

NAME, MODEL AND SPECIFICATION

AC Adapter

See Appendix, Altitude up to 2000m

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011; GB9254-2008; GB17625.1-2003

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO. CNCA-01C-020:2010).

Date of issue: Jun. 19, 2013 Date of expiry: Mar. 21, 2018

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original certification: Sep. 24, 2009

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao

CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>



Q 0735529



中国国家强制性产品认证证书

附录:

第 1 页 共 3 页

证书编号: 2009010907366932

纸号: 735529

FRAuu-Svv-W, FRMxx-Syy-Z (uu=030E, 024, 018; xx=030, 024, 015 代表的是不同的输出功率; vv=03, 03P, 05, 07, 09, 12, 12P, 15, 18, 24, 24P, 30, 36 或 48; yy=03, 05, 07, 09, 12, 15, 18, 24; Z, W=8, C, I: “8” 为 C8 八字尾插插座 “C” 为固定式插头, “I” 为转换式插头), GEuuIvv-zzz (uu=18, 24, 30 代表不同输出功率; “I” 代表转换式插头, vv=03, 05, 07, 09, 12, 15, 18, 24, 30, 36, 48 代表不同输出电压范围; zzz=G-9, A-Z or blank 只为区别不同的销售客户, 不影响产品的安全性和电磁兼容性)

输入: 100-240Vac, 50-60Hz, 0.7A

型号			输出电压 DC (以 0.01V 为步进)	最大输出电流值
FRA018-S03-W	FRM015-S03-Z	GE18I03-zzz	3V-5V	3.67A
FRA018-S03P-W	---	---	5V	0.3A
FRA018-S05-W	FRM015-S05-Z	GE18I05-zzz	5V-6V	2.4A
FRA018-S07-W	FRM015-S07-Z	GE18I07-zzz	6V-8V	2.2A
FRA018-S09-W	FRM015-S09-Z	GE18I09-zzz	8V-11V	2.25A
FRA018-S12-W	FRM015-S12-Z	GE18I12-zzz	11V-13V	1.64A
FRA018-S12P-W	---	---	12V	0.5A
FRA018-S15-W	FRM015-S15-Z	GE18I15-zzz	13V-16V	1.39A
FRA018-S18-W	FRM015-S18-Z	GE18I18-zzz	16V-21V	1.13A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 2 页 共 3 页

证书编号: 2009010907366932

纸号: 735529

型号			输出电压 DC (以 0.01V 为步进)	最大输出电流值
FRA018-S24-W	FRM015-S24-Z	GE18I24-zzz	21V-27V	0.86A
FRA018-S24P-W	---	---	24V	0.7A
FRA018-S30-W	---	GE18I30-zzz	27V-33V	0.67A
FRA018-S36-W	---	GE18I36-zzz	33V-40V	0.55A
FRA018-S48-W	---	GE18I48-zzz	40V-50V	0.45A
FRA024-S03-W	FRM024-S03-Z	GE24I03-zzz	3V-5V	4A
FRA024-S05-W	FRM024-S05-Z	GE24I05-zzz	5V-6V	3A
FRA024-S07-W	FRM024-S07-Z	GE24I07-zzz	6V-8V	2.5A
FRA024-S09-W	FRM024-S09-Z	GE24I09-zzz	8V-11V	2.5A
FRA024-S12-W	FRM024-S12-Z	GE24I12-zzz	11V-13V	2.2A
FRA024-S15-W	FRM024-S15-Z	GE24I15-zzz	13V-16V	1.85A
FRA024-S18-W	FRM024-S18-Z	GE24I18-zzz	16V-21V	1.5A
FRA024-S24-W	FRM024-S24-Z	GE24I24-zzz	21V-27V	1.15A

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 3 页 共 3 页

证书编号: 2009010907366932

纸号: 735529

型号		输出电压 DC (以 0.01V 为步进)	最大输出 电流值
FRA024-S24P-W	---	24V	0.9A
FRA024-S30-W	---	GE24I30-zzz	27V-33V 0.9A
FRA024-S36-W	---	GE24I36-zzz	33V-40V 0.73A
FRA024-S48-W	---	GE24I48-zzz	40V-50V 0.6A
FRA030E-S12-W	FRM030-S12- Z	GE30I12-zzz	11V-13V 2.73A
FRA030E-S15-W	FRM030-S15- Z	GE30I15-zzz	13V-16V 2.3A
FRA030E-S18-W	FRM030-S18- Z	GE30I18-zzz	16V-21V 1.87A
FRA030E-S24-W	FRM030-S24- Z	GE30I24-zzz	21V-27V 1.43A
FRA030E-S30-W	---	GE30I30-zzz	27V-33V 1.11A
FRA030E-S36-W	---	GE30I36-zzz	33V-40V 0.91A
FRA030E-S48-W	---	GE30I48-zzz	40V-50V 0.75A

注: Z, W=8, C, I; "8" 为 C8 八字尾插插座 "C" 为固定式插头, "I" 为转换式插头, zzz=0-9, A-Z or blank 只为区别不同的销售客户

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

